

DOCUMENT 00 41 43

BID FORM

TABLE OF CONTENTS

	Page
Article 1 – Bid Recipient.....	1
Article 2 – Bidder’s Acknowledgements.....	1
Article 3 – Bidder’s Representations	1
Article 4 – Bidder’s Certification.....	2
Article 5 – Basis of Bid.....	3
Article 6 – Time of Completion.....	9
Article 7 – Attachments to This Bid	24
Article 8 – Defined Terms	24
Article 9 – Bid Submittal	24

ARTICLE 1 - BID RECIPIENT

1.01 This Bid is submitted to:

City of South Haven, 1199 8th Avenue, South Haven MI 49090

1.02 The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an Agreement with Owner in the form included in the Bidding Documents to perform all Work as specified or indicated in the Bidding Documents for the prices and within the times indicated in this Bid and in accordance with the other terms and conditions of the Bidding Documents.

ARTICLE 2 - BIDDER’S ACKNOWLEDGEMENTS

2.01 Bidder accepts all of the terms and conditions of the Instructions to Bidders, including without limitation those dealing with the disposition of Bid security. This Bid will remain subject to acceptance for 75 days after the Bid opening, or for such longer period of time that Bidder may agree to in writing upon request of Owner.

ARTICLE 3 - BIDDER’S REPRESENTATIONS

3.01 In submitting this Bid, Bidder represents that:

A. Bidder has examined and carefully studied the Bidding Documents, other related data identified in the Bidding Documents, and the following Addenda, receipt of which is hereby acknowledged:

<u>Addendum No.</u>	<u>Addendum Date</u>
_____	_____
_____	_____
_____	_____

B. Bidder has visited the Site and become familiar with and is satisfied as to the general, local, and Site conditions that may affect cost, progress, and performance of the Work.

C. Bidder is familiar with and is satisfied as to all Laws and Regulations that may affect cost, progress, and performance of the Work.

D. Bidder has carefully studied all: (1) reports of explorations and tests of subsurface conditions at or contiguous to the Site and all drawings of physical conditions relating to existing surface or subsurface structures at the Site (except Underground Facilities) that have been identified in SC-4.02 as containing reliable "technical data," and (2) reports and drawings of Hazardous Environmental Conditions, if any, at the Site that have been identified in SC-4.06 as containing reliable "technical data."

E. Bidder has considered the information known to Bidder; information commonly known to contractors doing business in the locality of the Site; information and observations obtained

from visits to the Site; the Bidding Documents; and the Site-related reports and drawings identified in the Bidding Documents, with respect to the effect of such information, observations, and documents on (1) the cost, progress, and performance of the Work; (2) the means, methods, techniques, sequences, and procedures of construction to be employed by Bidder, including applying the specific means, methods, techniques, sequences, and procedures of construction expressly required by the Bidding Documents; and (3) Bidder's safety precautions and programs.

- F. Based on the information and observations referred to in Paragraph 3.01.E above, Bidder does not consider that further examinations, investigations, explorations, tests, studies, or data are necessary for the determination of this Bid for performance of the Work at the price(s) bid and within the times required, and in accordance with the other terms and conditions of the Bidding Documents.
- G. Bidder is aware of the general nature of work to be performed by Owner and others at the Site that relates to the Work as indicated in the Bidding Documents.
- H. Bidder has given Engineer written notice of all conflicts, errors, ambiguities, or discrepancies that Bidder has discovered in the Bidding Documents, and the written resolution thereof by Engineer is acceptable to Bidder.
- I. The Bidding Documents are generally sufficient to indicate and convey understanding of all terms and conditions for the performance of the Work for which this Bid is submitted.

ARTICLE 4 - BIDDER'S CERTIFICATION

4.01 Bidder certifies that:

- A. This Bid is genuine and not made in the interest of or on behalf of any undisclosed individual or entity and is not submitted in conformity with any collusive agreement or rules of any group, association, organization, or corporation;
- B. Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid;
- C. Bidder has not solicited or induced any individual or entity to refrain from bidding; and
- D. Bidder has not engaged in corrupt, fraudulent, collusive, or coercive practices in competing for the Contract. For the purposes of this Paragraph 4.01.D:
 - 1. "corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value likely to influence the action of a public official in the bidding process;
 - 2. "fraudulent practice" means an intentional misrepresentation of facts made (a) to influence the bidding process to the detriment of Owner, (b) to establish bid prices at artificial non-competitive levels, or (c) to deprive Owner of the benefits of free and open competition;

3. “collusive practice” means a scheme or arrangement between two or more Bidders, with or without the knowledge of Owner, a purpose of which is to establish bid prices at artificial, non-competitive levels; and
4. “coercive practice” means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the bidding process or affect the execution of the Contract.

ARTICLE 5 - BASIS OF BID

5.01 Bidder will complete the Work in accordance with the Contract Documents for the following price(s):

Contract #1 – North Shore Drive Reconstruction Project

Item No.	Spec Reference	Pay Item	Qty	Units	Unit Price	Amount
1	01 10 00	Mobilization, Max \$200,000	1	Lump Sum		
2	Varies	Newcome Beach Staircase	1	Lump Sum		
3	01 50 00	Temporary Traffic Control	1	Lump Sum		
4	01 50 00	Maintenance Gravel	600	Cyd		
5	10 14 53	Post, Steel, U-Channel, 3 lb	42	Ea		
6	10 14 53	Traffic Signs, Permanent	263	Sft		
7	10 14 53	Sign, Type III, Erect, Salv	2	Ea		
8	31 10 00	Tree, Rem., 6 inch to 18 inch	20	Ea		
9	31 10 00	Tree, Rem., 19 inch to 36 inch	10	Ea		
10	31 10 00	Tree, Rem, 37 inch or Larger	1	Ea		
11	31 10 00	HMA Surface, Rem.	19,467	Syd		
12	31 10 00	Pavt., Rem.	11,519	Syd		
13	31 10 00	Sidewalk, Rem.	5,265	Syd		
14	31 10 00	Curb & Gutter, Rem.	9,540	Ft.		
15	31 10 00	Utility Line, Rem., Sanitary	1,310	Ft.		
16	31 10 00	Utility Line, Rem., Storm	2,790	Ft.		

17	31 10 00	Utility Str., Rem., Sanitary	23	Ea		
18	31 10 00	Utility Str., Rem., Storm	25	Ea		
19	31 10 00	Sign, Rem.	33	Ea		
20	31 10 00	Newcome Beach Staircase Removal	1	Lump Sum		
21	31 22 13	Roadway Grading	51.25	Sta		
22	31 22 13	Subgrade Undercutting, Type, II	600	Cyd		
23	31 23 23	Fill Abandoned Utility, 6 inch	4,450	Ft.		
24	31 25 00	Silt Fence	1,000	Ft.		
25	31 25 00	Inlet Protection, Fabric Drop	75	Ea		
26	31 25 00	Rip Rap, Heavy	85	Cyd		
27	32 01 16	Structure Cover, Adjust, Case 2	4	Ea		
28	32 01 16	Cold Milling HMA Surface	3,610	Syd		
29	32 11 16	Subbase, CIP	7,810	Cyd		
30	32 11 23	Aggregate Base, 21AA, 8 inch	23,385	Syd		
31	32 12 16	HMA, 4E3	4,423	Ton		
32	32 12 16	HMA, 5E3	2,120	Ton		
33	32 13 13	Sidewalk, 4 inch	33,920	Sft		
34	32 13 13	Sidewalk Ramp, 6 inch	2,605	Sft		
35	32 13 13	Detectable Warning Surface, Cast Iron	165	Ft.		
36	32 13 13	Curb & Gutter, Conc., Det F4	9,410	Ft.		
37	32 13 13	Driveway Opening, Conc., Det M	505	Ft.		
38	32 13 13	Driveway, Nonreinf. Conc., 6 inch	3,225	Syd		
39	32 13 13	Conc. Pavt., Nonreinf., 6 inch	65	Syd		
40	32 17 23	Pavt. Mrkg, Waterborne, 4 inch, White	5,240	Ft.		
41	32 17 23	Pavt. Mrkg, Waterborne, 4 inch, Yellow	8,400	Ft.		

42	32 17 23	Pavt. Mrkg., Ovly. Cold Plastic, 24 inch, Stop Bar	167	Ft.		
43	32 17 23	Pavt. Mrkg., Ovly. Cold Plastic, 12 inch, Crosswalk	1,560	Ft.		
44	32 17 23	Pavt. Mrkg., Ovly. Cold Plastic, Thru Arrow Sym.	6	Ea		
45	32 91 19	Topsoil Surface, 4 inch, screened	7,500	Syd		
46	32 91 19	Acer freemanii 'Jeffersred' 3" BB	9	Ea		
47	32 91 19	Ginko biloba 'Princeton Sentry' 3 inch BB	7	Ea		
48	32 91 19	Gleditsia T. 'Street Keeper', 3 inch BB	7	Ea		
49	32 91 19	Zelkova Seratta 'JFS-KW1', 2 inch BB	8	Ea		
50	32 91 19	Amelanchier x grandifolia 'Autumn Brilliance', 2 inch BB	9	Ea		
51	32 91 19	Carpinus betulus 'Fastigiata', 2 inch	8	Ea		
52	32 91 19	Crataegus C Inermis 'Cruzam', 2 inch BB	8	Ea		
53	32 91 19	Prunus S. 'Kwanzan', 2 inch BB	7	Ea		
54	32 91 19	Pyrus C. 'Aristocrat', 2 inch BB	11	Ea		
55	32 91 19	Ammophila Breviligulata	347	Ea		
56	32 91 19	Cornus alba 'Siberica Bloodgood', #5 cont.	7	Ea		
57	32 91 19	Echinacea purpurpea 'Magnus', #2 cont.	10	Ea		
58	32 91 19	Pennisetum alopecuroides 'Hameln', 3 inch pot	3	Ea		
59	32 91 19	Perovskia atriplicifolia 'Little Spire', #2 cont.	6	Ea		
60	32 91 19	Rudbeckia fuldiga 'Goldsturm', #2 cont.	5	Ea		
61	32 91 19	Beach Sand	20	Cyd		
62	32 92 19	Bike Rack	11	Ea		
63	32 92 19	Trash Receptacle	4	Ea		
64	32 92 19	Aluminum Edging	45	Ft.		
65	32 92 19	Entrance Signage, Installed	3	Ea		
66	32 92 19	Seed & Fertilizer	7,500	Syd		

67	32 92 19	Mulch Blanket	7,500	Syd		
68	32 92 19	Mulch Blanket, High Velocity	400	Syd		
69	33 05 13	Structure, San. MH, 48 inch Dia.	17	Ea		
70	33 05 13	Structure, Stm. MH, 48 inch Dia.	28	Ea		
71	33 05 13	Structure, Stm. MH, 60 inch Dia.	7	Ea		
72	33 05 13	Structure, Stm. CB, 24 inch Dia.	62	Ea		
73	33 05 13	Structure, Stm. CB, 48 inch Dia.	2	Ea		
74	33 05 13	Structure, Conn. to Ex. Sewer, 48 inch	2	Ea		
75	33 05 13	Structure Cover, EJ #1040 Logo San	19	Ea		
76	33 05 13	Structure Cover, EJ #1040 Logo Stm	35	Ea		
77	33 05 13	Structure Cover, EJ #5100	7	Ea		
78	33 05 13	Structure Cover, EJ #7045	60	Ea		
79	33 05 13	Structure Cover, EJ #6496	1	Ea		
80	33 05 13	Structure, Stm. Leaching MH, 72 inch Dia.	1	Ea		
81	33 05 13	Structure Tap, 8 inch, Sanitary	3	Ea		
82	33 05 13	Structure, Inside Drop	1	Ea		
83	33 11 13	Water main, 6 inch	100	Ft.		
84	33 11 13	Water main, 8 inch	305	Ft.		
85	33 11 13	Hydrant Assembly	3	Ea		
86	33 11 13	Hydrant Lead, 6 inch	30	Ft.		
87	33 11 13	Live Tap, 12 inch x 8 inch	3	Ea		
88	33 11 13	Live Tap, 12 inch x 6 inch	1	Ea		
89	33 12 13	Water Service, 1 inch	3,395	Ft.		
90	33 12 13	Curb Stop, 1 inch	53	Ea		
91	33 31 13	San. Sewer, PVC SDR 26, 8 inch	4,880	Ft.		

92	33 31 13	San. Sewer Service, 6 inch	4,501	Ft.		
93	33 31 13	San. Sewer Service Cleanout	130	Ea		
94	33 31 13	Cleanout Riser Cover	31	Ea		
95	33 41 13	Stm. Sewer, RCP, 12 inch	2,504	Ft.		
96	33 41 13	Stm. Sewer, RCP, 18 inch	2,601	Ft.		
97	33 41 13	Stm. Sewer, RCP, 24 inch	801	Ft.		
98	33 41 13	Stm. Sewer, DI, 24 inch	85	Ft.		
99	33 41 13	Tapered End Section, Conc., 24 inch	1	Ea		
100	33 41 13	Stm. Sewer Service, 6 inch	961	Ft.		
101	33 41 13	Stm. Sewer Service, Cleanout	50	Ea		
102	33 46 16	Underdrain, Subbase, 6 inch	9,200	Ft.		

Contact #1: Total of All Bid Prices _____

Contract #2A – Monroe Boulevard and Indian Grove Lift Station Reconstruction Project

Item No.	Spec Reference	Pay Item	Qty	Units	Unit Price	Amount
1	01 10 00	Mobilization, Max 7%	1	LS		
2	01 50 00	Temporary Traffic Control	1	LS		
3	01 50 00	Maintenance Gravel, 22A	500	Cyd		
4	02 41 16	Demolished Materials	1	LS		
5	10 14 53	Traffic Signs, Permanent	194	Sft		
6	10 14 53	Post, Steel, 3 Lb	43	Ea		
7	10 14 53	Post Hole through Concrete	2	Ea		
8	10 14 53	Sign, Type III, Erect, Salv	10	Ea		
9	31 23 33	Exploratory Excavation	150	Cyd		
10	31 10 00	Tree, Rem., 6 inch to 18 inch	9	Ea		
11	31 10 00	Tree, Rem., 19 inch to 36 inch	14	Ea		
12	31 10 00	Tree, Rem., 37 inch or Larger	1	Ea		
13	31 10 00	HMA Surface, Rem.	9430	Syd		
14	31 10 00	Pavt., Rem.	555	Syd		
15	31 10 00	Sidewalk, Rem.	15	Syd		
16	31 10 00	Curb, Rem.	25	Ft		
17	31 10 00	Curb & Gutter, Rem.	360	Ft		
18	31 10 00	Utility Line, Rem., Sanitary	445	Ft		
19	31 10 00	Utility Line, Rem., Storm	1075	Ft		
20	31 10 00	Utility Line, Rem., Water	20	Ft		
21	31 10 00	Utility Str., Rem., Sanitary	2	Ft		
22	31 10 00	Utility Str., Rem., Storm	6	Ft		
23	31 10 00	Sign, Rem.	10	Ea		

24	31 10 00	Post, Mailbox	26	Ea		
25	31 10 00	Guardrail, Rem.	90	Ft		
26	31 10 00	Light Pole, Rem. & Salv	1	Ea		
27	31 10 00	Retaining Wall, Rem.	125	Ft		
28	31 10 00	Roadway Grading	26.5	Sta		
29	31 22 13	Site Grading	1	LS		
30	31 22 13	Subgrade Undercutting, Type, II	250	Cyd		
31	31 23 24	Fill Abandoned Utility, 6 inch	1615	Ft		
32	31 23 24	Flowable Fill	5.5	Cyd		
33	31 25 13	Silt Fence	610	Ft		
34	32 11 16	Subbase, CIP	4150	Cyd		
35	32 11 16	Conc Base Cse, Nonreinf, 7 1/2 inch	11	Syd		
36	32 11 23	Aggregate Base, 22A, 8 inch	11700	Syd		
37	32 11 23	Aluminum Edging	120	Ft		
38	32 11 23	Bollard, Steel	9	Ea		
39	32 12 16	HMA, 4E3	2551	Ton		
40	32 12 16	HMA, 5E3	986	Ton		
41	32 12 16	Hand Patching	22	Tons		
42	32 13 13	Sidewalk, 4 inch	11550	Sft		
43	32 13 13	Sidewalk Ramp, 6 inch	1375	Sft		
44	32 13 13	Detectable Warning Surface, Cast Iron	90	Ft		
45	32 13 13	Curb & Gutter, Conc., Det F4	5465	Ft		
46	32 13 13	Curb, Det E4	110	Ft		
47	32 13 13	Driveway Opening, Conc., Det M	80	Ft		
48	32 13 13	Driveway, Nonreinf. Conc., 6 inch	1165	Syd		

49	32 13 13	Conc. Pavt., Reinf., 6 inch	20	Syd		
50	32 17 23	Pavt. Mrkg., Waterborne, 6 inch, White	4275	Ft		
51	32 17 23	Pavt. Mrkg., Waterborne, 4 inch, Yellow	4890	Ea		
52	32 17 23	Pavt. Mrkg., Ovly. Cold Plastic, 6 inch, Crosswalk	255	Ft		
53	32 17 23	Pavt. Mrkg., Ovly. Cold Plastic, 12 inch, Crosswalk	330	Syd		
54	32 17 23	Pavt. Mrkg., Ovly. Cold Plastic, 24 inch, Stop Bar	35	Syd		
55	32 91 19	Topsoil Surface, 4 inch, screened	5615	Syd		
56	32 91 19	Acer freemanii 'Jeffersred', 3 inch	2	Ea		
57	32 91 19	Carpinus betulus ;Fastigiata', 2 inch	2	Ea		
58	32 91 19	Cornus racemosa, #5 cont.	3	Ea		
59	32 91 19	Crataegus c. Inermis 'Cruzam', 2 inch	1	Ea		
60	32 91 19	Fagus sylvatica, 2 inch	3	Ea		
61	32 91 19	Ginko biloba 'Princeton Sentry', 2 inch	2	Ea		
62	32 91 19	Gleditsia t. 'Street Keeper', 2 inch	2	Ea		
63	32 91 19	Hamamelis x iintermedia 'Copper Glow', #5 cont.	3	Ea		
64	32 91 19	Hydrangea quercifolia, #5 cont.	14	Ea		
65	32 91 19	Pinus strobus, 8 foot	1	Ea		
66	32 91 19	Prunus s. 'Kwanzan', 2 inch	1	Ea		
67	32 91 19	Pyrus c. 'Aristocrat', 2 inch	2	Ea		
68	32 91 19	Quercus rubra, 3 inch	2	Ea		
69	32 91 19	Taxus x media 'Hicksii', #5 cont.	4	Ea		
70	32 91 19	Viburnum acerifolium, #5 cont.	8	Ea		
71	32 92 19	Seed & Fertilizer	5615	Syd		
72	32 92 19	Mulch Blanket	5615	Syd		
73	33 05 14	Structure, San. MH, 48 inch Dia	5	Ea		

74	33 05 14	Structure, Stm. MH, 48 inch Dia	2	Ea		
75	33 05 14	Structure, Stm. CB, 24 inch Dia	12	Ea		
76	33 05 14	Structure, Stm. CB, 48 inch Dia	13	Ea		
77	33 05 14	Structure Cover, EJ #7030	2	Ea		
78	33 05 14	Structure Cover, EJ #1040 Logo San	5	Ea		
79	33 05 14	Structure Cover, EJ #1040 Logo Stm	2	Ea		
80	33 05 14	Structure Cover, EJ #7045	21	Ea		
81	33 05 14	Structure Cover, EJ #1040, Type M1	2	Ea		
82	33 05 14	Structure Cover, Adjust, Case 1	14	Ea		
83	33 05 14	Structure Tap, 8 inch, Sanitary	1	Ea		
84	33 05 14	Structure, Conn. to Ex. Sewer, 8 inch	1	Ea		
85	33 05 14	Structure Tap, 18 inch, Storm	3	Ea		
86	33 11 13	Water Main, 8 inch	60	Ft		
87	33 11 13	Water Main, 12 inch	1445	Ft		
88	33 11 13	Water Main, 14 inch, HDD	215	Ft		
89	33 11 13	Valve & Box, 8 inch	1	Ea		
90	33 11 13	Valve & Box, 12 inch	5	Ea		
91	33 11 13	Hydrant Assembly	5	Ea		
92	33 11 13	Hydrant Lead, 6 inch	160	Ft		
93	33 11 13	Live Tap, 12 inch x 12 inch	1	Ea		
94	33 11 13	Line Stop, 6 inch	1	Ea		
95	33 11 13	Line Stop, 8 inch	1	Ea		
96	33 12 13	Water Service, 1 inch	503	Ft		
97	33 12 13	Curb Stop, 1 inch	16	Ea		
98	33 12 13	Meter Pit, 1 inch	16	Ea		

99	33 31 13	San. Sewer, PVC SDR 26, 8 inch	920	Ea		
100	33 31 13	San. Sewer Service, 6 inch	333	Ft		
101	33 31 13	San. Sewer Service, Cleanout	4	Ea		
102	33 31 13	Sewer Bypass Pumping	1	LS		
103	33 32 19	San. Lift Station, Indian Grove, Electrical and Controls	1	LS		
104	33 32 19	San. Lift Station, Indian Grove, Rehabilitation	1	LS		
105	33 32 19	San. Lift Station, Indian Grove, Superstructure Replacement	1	LS		
106	33 32 19	Emergency Standby Generator, 85 kW	1	Ea		
107	33 32 19	Emergency Standby Generator, ATS, 85 kW	1	Ea		
108	33 34 00	Force Main, HDPE, 12 inch	1285	Ft		
109	33 34 00	Force Main, DI, 12 inch	50	Ft		
110	33 34 00	Forcemain Cleanout Manhole	1	Ea		
111	33 34 00	Force Main Air Release MH	2	Ea		
112	33 41 13	Stm. Sewer, RCP, 12 inch	1170	Ft		
113	33 41 13	Stm. Sewer, RCP, 18 inch	1790	Ft		
114	33 41 13	Stm. Sewer, PVC, 4 inch	20	Ft		
115	33 41 13	Trench Drain, 4 inch	20	Ft		
116	33 41 13	Stm. Sewer Service, 6 inch	22	Ft		
117	33 41 13	Stm. Swr. Service Cleanout	1	Ea		
118	03 30 00	Conc, Grade S2	5	Cyd		
119	03 30 00	Reinforcement, Steel, Culv and Headwall	125	Lbs		
120	03 30 00	Joint Waterproofing	75	Sft		
121	33 46 00	Underdrain, Subgrade, 6 inch	5465	Ft		
	34 71 13	Guardrail, Type B	40	Ft		
	34 71 13	Guardrail Approach Terminal, Type 1B	2	Ea		

34 71 13	Guardrail Departing Terminal, Type B	2	Ea	_____	_____
34 71 13	Guardrail Reflector	9	Ea	_____	_____
26 56 00	Light Pole, Erect Salv.	1	Ea	_____	_____

Contract #2A: Total of All Bid Prices _____

Contract #2B – Kalamazoo Street Reconstruction – Phase IV

Item No.	Spec Reference	Pay Item	Qty	Units	Unit Price	Amount
1	01 10 00	Mobilization, Max \$45,000	1	Lump Sum		
2	01 50 00	Temporary Traffic Control	1	Lump Sum		
3	01 50 00	Maintenance Gravel, 22A	1,250	Cu. Yd.		
4	01 50 00	Maintenance Gravel, 21AA	500	Cu. Yd.		
5	10 14 53	Traffic Signs, Permanent	55	Sq. Ft..		
6	10 14 53	Post, Steel, 3lb	5	Each		
7	31 10 00	HMA Surface, Rem.	6,930	Sq. Yd.		
8	31 10 00	Sidewalk, Rem.	6	Sq. Yd.		
9	31 10 00	Curb & Gutter, Rem	2,109	Ft..		
10	31 10 00	Utility Line, Rem., Water	369	Ft..		
11	31 10 00	Utility Line, Rem., Storm	200	Ft..		
12	31 10 00	Utility Line, Rem., Sanitary	151	Ft..		
13	31 10 00	Utility Line, Rem., Forcemain	25	Ft..		
14	31 10 00	Utility Str., Rem, Water	3	Each		
15	31 10 00	Utility Str., Rem, Storm	5	Each		
16	31 10 00	Utility Str., Rem, Sanitary	3	Each		
17	31 10 00	Sign, Rem.	6	Each		
18	31 22 13	Roadway Grading	15.5	Station		
19	31 23 23.33	Fill Abandoned Utility, 10 inch	1,280	Ft..		
20	31 23 33	Exploratory Excavation	30	Cu. Yd.		
21	31 25 00	Inlet Protection, Fabric Drop	17	Each		
22	31 25 00	Aggregate Cover, 12 inch	1,050	Sq. Yd.		
23	32 01 16	Structure Cover, Adjust, Case 2	15	Each		

24	32 11 16	Subbase, CIP	2,045	Cu. Yd.		
25	33 11 23	Aggregate Base, 21AA, 8 inch	6,158	Sq. Yd.		
26	32 12 16	HMA, 5E3	710	Ton		
27	32 12 16	HMA, 4E3	1,066	Ton		
28	32 12 16	Hand Patching	83	Ton		
29	32 13 13	Sidewalk, 4 inch	57	Sq. Ft.		
30	32 13 13	Sidewalk, 8 inch	1,247	Sq. Ft.		
31	32 13 13	Curb & Gutter, Conc., Det. F4	1,635	Ft.		
32	32 13 13	Driveway Opening, Conc., Det M	491	Ft.		
33	32 13 13	Driveway, Nonreinf. Conc., 8 inch	218	Sq. Yd.		
34	32 17 23	Pavt. Mrkg., Ovly. Cold Plastic, 24 inch, Stopbar	36	Ft.		
35	32 17 23	Pavt. Mrkg., Waterborne, 4 Inch, Yellow	390	Ft.		
36	32 91 19	Topsoil Surface, 4 inch, Screened	2,682	Sq. Yd.		
37	32 92 19	Seed & Fertilizer	2,682	Sq. Yd.		
38	32 92 19	Mulch Blanket	2,682	Sq. Yd.		
39	32 92 19	Water, Seeding	100	Unit		
40	32 92 19	Mowing	2,682	Sq. Yd.		
41	32 92 19	Weed Control	2,682	Sq. Yd.		
42	33 01 30.16	Video Taping Sewer Pipe, San.	945	Ft.		
43	33 01 30.16	Video Taping Sewer Pipe, Stm.	200	Ft.		
44	33 05 13	Structure, San. MH, 48 inch Dia.	4	Each		
45	33 05 13	Structure, Stm. MH, 48 inch Dia.	2	Each		
46	33 05 13	Structure, Stm. CB, 24 inch Dia.	2	Each		
47	33 05 13	Structure, Stm. CB, 48 inch Dia.	1	Each		
48	33 05 13	Structure Conn. To Ex. Sewer, 12 inch	1	Each		
49	33 05 13	Structure Cover, EJ #1040 San. Logo	5	Each		

50	33 05 13	Structure Cover, EJ #1040 Stm. Logo	5	Each		
51	33 05 13	Structure Cover, EJ #7045	12	Each		
52	33 05 13	Structure Cover, EJ #5100	1	Each		
53	33 05 13	Structure Tap, 6 inch, Stm.	8	Each		
54	33 05 13	Structure, Inside Drop	4	Each		
55	33 11 13	Watermain, 6 inch	130	Ft.		
56	33 11 13	Watermain, 8 inch	48	Ft.		
57	33 11 13	Watermain, 12 inch	326	Ft.		
58	33 11 13	Valve & Box, 6 inch	3	Each		
59	33 11 13	Valve & Box, 8 inch	1	Each		
60	33 11 13	Valve & Box, 12 inch	1	Each		
61	33 11 13	Hydrant Assembly	3	Each		
62	33 11 13	Hydrant Lead, 6 inch	18	Ft.		
63	33 11 13	Line Stop, 12 inch	1	Each		
64	33 11 13	Thrust Block	5	Each		
65	33 31 13	San. Sewer, PVC SDR 26, 15 inch	945	Ft.		
66	33 31 13	San. Sewer Service, 6 inch	86	Ft.		
67	33 31 13	San. Sewer Service, Cleanout	3	Each		
68	33 31 13	Sewer Bypass Pumping	1	Lump Sum		
69	33 34 00	Forcemain, DI, 10 inch, Tr Det G	20	Ft.		
70	33 34 00	Forcemain, HDPE, 12 inch, HDD	373	Ft.		
71	33 41 13	Stm. Sewer, RCP, 12 inch	200	Ft.		
72	33 46 13	Underdrain, Subbase, 6 inch	2,954	Ft.		

Contract #2B: Total of All Bid Prices _____

Contract #3 – Dunkley and Black River Infrastructure Improvements

Item No.	Spec Reference	Pay Item	Qty	Units	Unit Price	Amount
1	01 10 00	Mobilization, Max \$296,600	1	Lump Sum		
2	01 50 00	Temporary Traffic Control	1	Lump Sum		
3	01 50 00	Maintenance Gravel	600	Cyd		
4	10 14 53	Post, Steel, U-Channel 3 lb	18	Ea		
5	10 14 53	Traffic Signs, Permanent	83	Sft		
6	10 14 53	Sign, Type III, Erect, Salv	2	Ea		
7	31 10 00	Tree, Rem., 6 inch to 18 inch	2	Ea		
8	31 10 00	Tree, Rem., 19 inch to 36 inch	5	Ea		
9	31 10 00	Clearing and Grubbing, Misc.	1	Lump Sum		
10	31 10 00	HMA Surface, Rem.	11,565	Syd		
11	31 10 00	Pavt., Rem.	208	Syd		
12	31 10 00	Sidewalk, Rem.	441	Syd		
13	31 10 00	Curb & Gutter, Rem.	3,265	Ft.		
14	31 10 00	Utility Line, Rem., Sanitary	710	Ft.		
15	31 10 00	Utility Line, Rem., Storm	990	Ft.		
16	31 10 00	Utility Line, Rem., Water	555	Ft.		
17	31 10 00	Utility Str., Rem., Sanitary	19	Ea		
18	31 10 00	Utility Str., Rem., Storm	15	Ea		
19	31 10 00	Sign, Rem.	14	Ea		
20	31 10 00	Fence, Rem.	420	Ft.		
21	31 10 00	Guardrail, Rem.	220	Ft.		
22	31 10 00	Misc. Item, Rem.	2	Ea		
23	31 10 00	Retaining Wall, Rem.	40	Ft.		

24	31 10 00	Culv., Rem., 24 inch to 48 inch	1	Ea		
25	31 10 00	Non Haz Contaminated Material Handling and Disposal	15,000	Cyd		
26	31 22 13	Roadway Grading	31.5	Sta		
27	31 22 13	Embankment, CIP	2,450	Cyd		
28	33 22 13	Subgrade Undercutting, Type II	700	Cyd		
29	33 22 13	Trench Undercut and Backfill	1,000	Cyd		
30	31 23 19	Dewatering System	1	Lump Sum		
31	31 23 23.33	Fill Abandoned Utility, 8 inch	1,700	Ft.		
32	31 23 33.33	Fill Abandoned Utility, 16 inch	1,175	Ft.		
33	31 23 33.33	Fill Abandoned Utility, 18 inch	315	Ft.		
34	31 23 33	Exploratory Excavation	250	Cyd		
35	31 25 00	Silt Fence	1,250	Ft.		
36	31 25 00	Inlet Protection, Fabric Drop	35	Ea		
37	31 25 00	Aggregate Cover, 8 inch	800	Syd		
38	31 25 00	Erosion Control, Turbidity Curtain, Deep	225	Ft.		
39	31 25 00	Rip Rap, Heavy	500	Syd		
40	31 25 00	Steel Sheet Piling, Permanent	600	Sft		
41	32 01 16	Structure Cover, Adjust, Case 2	2	Ea		
42	32 01 16	Valve Box, Adjust	3	Ea		
43	32 05 19.19	Geogrid	12,960	Syd		
44	32 05 19.19	Geotextile, Separator	12,960	Syd		
45	32 11 16	Subbase, CIP	4,365	Cyd		
46	32 11 23	Aggregate Base, 21AA, 8 inch	13,095	Syd		
47	32 12 16	HMA, 4E3	1,910	Ton		
48	32 12 16	HMA, 5E3	1,450	Ton		

49	32 13 13	Sidewalk, 4 inch	8,530	Sft		
50	32 13 13	Sidewalk Ramp, 6 inch	375	Sft		
51	32 13 13	Detectable Warning Surface, Cast Iron	12	Ft.		
52	32 13 13	Curb & Gutter, Conc., Det F4	3,760	Ft.		
53	32 13 13	Driveway Opening, Conc., Det M	230	Ft.		
54	32 13 13	Driveway, Nonreinf. Conc., 6 inch	602	Syd		
55	32 13 13	Driveway, Nonreinf. Conc., 8 inch	155	Syd		
56	32 13 13	Conc. Pavt., Reinf., 6 inch	12	Syd		
57	32 13 13	Conc. Spillway	20	Ft.		
58	32 15 00	Shoulder, CI I, 6 inch	350	Syd		
59	32 17 23	Pavt. Mrkg., Waterborne, 4 inch, White	2,125	Ft.		
60	32 17 23	Pavt. Mrkg., Waterborne, 4 inch, Yellow	2,700	Ft.		
61	32 17 23	Pavt. Mrkg., Ovly. Cold Plastic, 24 inch, Stop Bar	54	Ft.		
62	32 17 23	Pavt. Mrkg., Ovly. Cold Plastic, 12 inch, Crosswalk	210	Ft.		
63	32 17 23	Pavt. Mrkg., Ovly. Cold Plastic, Handicap Sym.	3	Ea		
64	32 91 19	Topsoil Surface, 4 inch	15,750	Syd		
65	32 91 19	Topsoil Surface, 4 inch, Screened	11,500	Syd		
66	32 91 19.10	Segmental Retaining Wall	15	Syd		
67	32 91 19.10	Fence, Split Rail	305	Ft.		
68	32 91 19.10	Fence, Chain Link, 8 Feet Tall	150	Ft.		
69	32 91 19.10	Bollard, Steel	5	Ea		
70	32 92 19	Seed & Fertilizer	27,250	Syd		
71	32 92 19	Mulch Blanket	27,250	Syd		
72	32 92 19	Mulch Blanket, High Velocity	500	Syd		
73	33 05 13	Structure, San. MH, 48 inch Dia.	22	Ea		

74	33 05 13	Structure, San. MH, 60 inch Dia.	5	Ea		
75	33 05 13	Structure, San. MH, 72 inch Dia.	4	Ea		
76	33 05 13	Structure, San. MH, 48 inch Dia., Over 15 Feet Deep	4	Ea		
77	33 05 13	Structure, Stm. MH, 48 inch Dia.	6	Ea		
78	33 05 13	Structure, Stm. MH, 60 inch Dia.	2	Ea		
79	33 05 13	Structure, Stm. MH, 72 inch Dia.	6	Ea		
80	33 05 13	Structure, Stm. MH, 84 inch Dia.	1	Ea		
81	33 05 13	Structure, Stm. MH, 96 inch Dia.	1	Ea		
82	33 05 13	Structure, Stm. CB, 48 inch Dia.	20	Ea		
83	33 05 13	Structure, Conn. to Ex. Sewer, 4 inch	1	Ea		
84	33 05 13	Structure, Conn. to Ex. Sewer, 6 inch	1	Ea		
85	33 05 13	Structure, Conn. to Ex. Sewer, 8 inch	7	Ea		
86	33 05 13	Structure, Conn. to Ex. Sewer, 12 inch	3	Ea		
87	33 05 13	Structure, Conn. to Ex. Sewer, 15 inch	1	Ea		
88	33 05 13	Structure, Conn. to Ex. Sewer, 18 inch	1	Ea		
89	33 05 13	Structure, Conn. to Ex. Sewer, 24 inch	1	Ea		
90	33 05 13	Structure, Conn. to Ex. Sewer, 30 inch	1	Ea		
91	33 05 13	Structure Cover, EJ #1040 Logo San	38	Ea		
92	33 05 13	Structure Cover, EJ #1040 Logo Stm	3	Ea		
93	33 05 13	Structure Cover, EJ #5100	2	Ea		
94	33 05 13	Structure Cover, EJ #6517	13	Ea		
95	33 05 13	Structure Cover, EJ #7030	6	Ea		
96	33 05 13	Structure Cover, EJ #7045	15	Ea		
97	33 05 13	Structure Tap, 8 inch, Sanitary	1	Ea		
98	33 05 13	Structure Tap, 12 inch, Storm	2	Ea		

99	33 05 13	Structure, Inside Drop	4	Ea		
100	33 05 13	Structure, Outside Drop	3	Ea		
101	33 11 13	Water main, 4 inch	45	Ft.		
102	33 11 13	Water main, 6 inch	10	Ft.		
103	33 11 13	Water main, 8 inch	1,450	Ft.		
104	33 11 13	Water main, 12 inch	5	Ft.		
105	33 11 13	Valve & Box, 4 inch	1	Ea		
106	33 11 13	Valve & Box, 6 inch	1	Ea		
107	33 11 13	Valve & Box, 8 inch	2	Ea		
108	33 11 13	Hydrant Assembly	3	Ea		
109	33 11 13	Hydrant Lead, 6 inch	10	Ft.		
110	33 12 13	Water Service, 1 inch	15	Ft.		
111	33 12 13	Water Service, 2 inch	35	Ft.		
112	33 12 13	Curb Stop, 1 1/2 inch	1	Ea		
113	33 12 13	Curb Stop, 2 inch	1	Ea		
114	33 31 13	San. Sewer, 8 inch	1,103	Ft.		
115	33 31 13	San. Sewer, 12 inch	93	Ft.		
116	33 31 13	San. Sewer, 15 inch	1,234	Ft.		
117	33 31 13	San. Sewer, 18 inch	901	Ft.		
118	33 31 13	San. Sewer, 30 inch	1,363	Ft.		
119	33 31 13	San. Sewer Service, 6 inch	1,170	Ft.		
120	33 31 13	San. Sewer Service Cleanout	18	Ea		
121	33 32 19	Structure, San. Wet Well, 96 inch Dia.	1	Ea		
122	33 32 19	San. Lift Station, Black River Street	1	Ea		
123	33 32 19	San. Bypass Chamber, 84 inch Dia.	1	Ea		

124	33 32 19	Emergency Standby Generator, 60 kW	1	Lump Sum		
125	33 32 19	Emergency Standby Generator, ATS, 60 kW	1	Lump Sum		
126	33 34 00	Force Main, DI, 10 inch	125	Ft.		
127	33 34 00	Force Main, HDPE, 10 inch, HDD	825	Ft.		
128	33 34 00	Structure, FM Air Release, 60 inch Dia.	2	Ea		
129	33 34 00	Structure, FM Cleanout, 60 inch Dia.	1	Ea		
130	33 41 13	Stm. Sewer, RCP, 12 inch	1,169	Ft.		
131	33 41 13	Stm. Sewer, RCP, 18 inch	369	Ft.		
132	33 41 13	Stm. Sewer, RCP, 24 inch	268	Ft.		
133	33 41 13	Stm. Sewer, RCP, 48 inch	846	Ft.		
134	33 41 13	Stm. Sewer, DI, 12 inch	210	Ft.		
135	33 41 13	Tapered End Section, Conc., 18 inch	1	Ea		
136	33 41 13	Tapered End Section, Conc., 24 inch	1	Ea		
137	33 41 13	Tapered End Section, Grate	215	Lb		
138	33 46 16	Underdrain, Subbase, 6 inch	5,050	Ft.		
139	34 71 13	Guardrail, Type B	10	Ft.		
140	34 71 13	Guardrail, Backed, Det G1	1	Ea		
141	34 71 13	Guardrail Approach Terminal, Type 1B	1	Ea		
142	34 71 13	Guardrail Departing Terminal, Type B	1	Ea		
143	34 71 13	Guardrail Reflector	5	Ea		
144	SP	Groundwater Treatment Allowance	175,000	Dir		
145	SP	Reinforced Concrete Pile Caps	15	Ea		
146	SP	Timber Pile	425	Ea		
147	SP	Pipe Support Channel	195	Ea		
148	SP	Pipe Cradle	2,300	Ft.		

Contract #3: Total of All Bid Prices _____

Unit Prices have been computed in accordance with Paragraph 11.03.B of the General Conditions.

Bidder acknowledges that estimated quantities are not guaranteed, and are solely for the purpose of comparison of Bids, and final payment for all unit price Bid items will be based on actual quantities, determined as provided in the Contract Documents.

ARTICLE 6 - TIME OF COMPLETION

6.01 Bidder agrees that the Work will be substantially complete and will be completed and ready for final payment in accordance with Paragraph 14.07 of the General Conditions on or before the dates or within the number of calendar days indicated in the Agreement.

ARTICLE 7 - ATTACHMENTS TO THIS BID

7.01 The following documents are submitted with and made a condition of this Bid:

Required Bid security in the form of _____;

ARTICLE 8 - DEFINED TERMS

8.01 The terms used in this Bid with initial capital letters have the meanings stated in the Instructions to Bidders, the General Conditions, and the Supplementary Conditions.

ARTICLE 9 - BID SUBMITTAL

9.01 This Bid is submitted by:

If Bidder is other than a Corporation:

Name of Business Entity: _____

Type of Business Entity: _____
(Attach applicable documentation to validate bidder's authority to do business)

By: _____
(Signature -- attach evidence of authority to sign)

Name of Signatory (typed or printed): _____

Title of Signatory: _____

Attest _____

If Bidder is a Corporation:

Corporation Name: _____

State of Incorporation: _____

Type of Corporation:

(General Business, Professional, Service, Limited Liability): _____

By: _____

(Signature -- attach evidence of authority to sign)

Name of Signatory (typed or printed): _____

Title of Signatory: _____

Attest _____

Bidder's Business Address: _____

Phone No. _____

Fax No. _____

E-mail: _____

SUBMITTED on _____, 2014.

END OF DOCUMENT

**Certification Regarding
Debarment, Suspension, and Other Responsibility Matters**

The prospective participant certifies, to the best of its knowledge and belief, that it and its principals:

- (1) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in transactions under federal nonprocurement programs by any federal department or agency;
- (2) Have not, within the three year period preceding the proposal, had one or more public transactions (federal, state, or local) terminated for cause or default; and
- (3) Are not presently indicted or otherwise criminally or civilly charged by a government entity (federal, state, or local) and have not, within the three year period preceding the proposal, been convicted of or had a civil judgment rendered against it:
 - (a) For the commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public transaction (federal, state, or local) or a procurement contract under such a public transaction;
 - (b) For the violation of federal or state antitrust statutes, including those proscribing price fixing between competitors, the allocation of customers between competitors, or bid rigging; or
 - (c) For the commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property.

I understand that a false statement on this certification may be grounds for the rejection of this proposal or the termination of the award. In addition, under 18 U.S.C. §1001, a false statement may result in a fine of up to \$10,000 or imprisonment for up to five years, or both.

Name and Title of Authorized Representative

Name of Participant Agency or Firm

Signature of Authorized Representative

Date

I am unable to certify to the above statement. Attached is my explanation.